







LAGOS STATE










Please see www.healthynewbornnetwork.org/page/nigeria-data for indicator definitions and data sources

| BIRTHS AND DEATHS | |
|--|------------|
| Population | 10,957,000 |
| Annual births | 386,000 |
| Birth registration (%) | 62 |
| Neonatal mortality rate per 1000 live births | 39 |
| Annual number of neonatal deaths | 15,000 |
| Under-five mortality rate per 1000 live births | 90 |
| Annual number of under-five deaths | 33,000 |
| Maternity mortality ratio per 100,000 live births (national) | 576 |
| Annual number of maternal deaths | 2,000 |



REPRODUCTIVE AND MATERNAL HEALTH

| | |
|---|----|
| Total fertility rate | 4 |
| Unmet need for family planning (%) | 12 |
| Adolescents who have begun childbearing (%) | 5 |
| Violence in pregnancy (%) | 6 |
| Female genital cutting (%) | 35 |







* Refers to zonal data



NASARAWA STATE










Please see www.healthynewbornnetwork.org/page/nigeria-data for indicator definitions and data sources

| BIRTHS AND DEATHS | |
|--|-----------|
| Population | 2,219,000 |
| Annual births | 91,000 |
| Birth registration (%) | 25 |
| Neonatal mortality rate per 1000 live births | 35 |
| Annual number of neonatal deaths | 3,000 |
| Under-five mortality rate per 1000 live births | 100 |
| Annual number of under-five deaths | 9,000 |
| Maternity mortality ratio per 100,000 live births (national) | 576 |
| Annual number of maternal deaths | 500 |



REPRODUCTIVE AND MATERNAL HEALTH

| | |
|---|----|
| Total fertility rate | 5 |
| Unmet need for family planning (%) | 21 |
| Adolescents who have begun childbearing (%) | 15 |
| Violence in pregnancy (%) | 4 |
| Female genital cutting (%) | 9 |







* Refers to zonal data



NIGER STATE










Please see www.healthynewbornnetwork.org/page/nigeria-data for indicator definitions and data sources

| BIRTHS AND DEATHS | |
|--|-----------|
| Population | 4,786,000 |
| Annual births | 195,000 |
| Birth registration (%) | 14 |
| Neonatal mortality rate per 1000 live births | 35 |
| Annual number of neonatal deaths | 7,000 |
| Under-five mortality rate per 1000 live births | 100 |
| Annual number of under-five deaths | 19,000 |
| Maternity mortality ratio per 100,000 live births (national) | 576 |
| Annual number of maternal deaths | 1000 |



REPRODUCTIVE AND MATERNAL HEALTH

| | |
|---|----|
| Total fertility rate | 6 |
| Unmet need for family planning (%) | 24 |
| Adolescents who have begun childbearing (%) | 27 |
| Violence in pregnancy (%) | 1 |
| Female genital cutting (%) | 3 |







* Refers to zonal data



OGUN STATE










Please see www.healthynewbornnetwork.org/page/nigeria-data for indicator definitions and data sources

| BIRTHS AND DEATHS | |
|--|-----------|
| Population | 4,439,000 |
| Annual births | 156,000 |
| Birth registration (%) | 36 |
| Neonatal mortality rate per 1000 live births | 39 |
| Annual number of neonatal deaths | 6,000 |
| Under-five mortality rate per 1000 live births | 90 |
| Annual number of under-five deaths | 13,000 |
| Maternity mortality ratio per 100,000 live births (national) | 576 |
| Annual number of maternal deaths | 900 |



REPRODUCTIVE AND MATERNAL HEALTH

| | |
|---|----|
| Total fertility rate | 5 |
| Unmet need for family planning (%) | 23 |
| Adolescents who have begun childbearing (%) | 10 |
| Violence in pregnancy (%) | 4 |
| Female genital cutting (%) | 11 |



* Refers to zonal data




ONDO STATE

Please see www.healthynewbornnetwork.org/page/nigeria-data for indicator definitions and data sources


BIRTHS AND DEATHS

| | |
|--|-----------|
| Population | 4,142,000 |
| Annual births | 145,000 |
| Birth registration (%) | 41 |
| Neonatal mortality rate per 1000 live births | 39 |
| Annual number of neonatal deaths | 6,000 |
| Under-five mortality rate per 1000 live births | 90 |
| Annual number of under-five deaths | 12,000 |
| Maternity mortality ratio per 100,000 live births (national) | 576 |
| Annual number of maternal deaths | 800 |


NEWBORN AND CHILD SURVIVAL TRENDS




CAUSES OF UNDER-FIVE AND NEONATAL DEATHS*



ANTENATAL CARE




CARE DURING CHILDBIRTH




REPRODUCTIVE AND MATERNAL HEALTH

| | |
|---|----|
| Total fertility rate | 5 |
| Unmet need for family planning (%) | 17 |
| Adolescents who have begun childbearing (%) | 14 |
| Violence in pregnancy (%) | 6 |
| Female genital cutting (%) | 45 |


MISSED OPPORTUNITIES IN KEY MATERNAL, NEWBORN AND CHILD HEALTH PACKAGES




COVERAGE ALONG THE CONTINUUM OF CARE




CARE FOR HOME BIRTHS




NUTRITIONAL STATUS




INFANT FEEDING PRACTICES




VACCINATIONS




DIARRHOEA TREATMENT



PNEUMONIA TREATMENT



MALARIA PREVENTION AND TREATMENT







* Refers to zonal data



OSUN STATE










Please see www.healthynewbornnetwork.org/page/nigeria-data for indicator definitions and data sources

| BIRTHS AND DEATHS | |
|--|-----------|
| Population | 4,130,000 |
| Annual births | 145,000 |
| Birth registration (%) | 66 |
| Neonatal mortality rate per 1000 live births | 39 |
| Annual number of neonatal deaths | 6,000 |
| Under-five mortality rate per 1000 live births | 90 |
| Annual number of under-five deaths | 12,000 |
| Maternity mortality ratio per 100,000 live births (national) | 576 |
| Annual number of maternal deaths | 800 |



REPRODUCTIVE AND MATERNAL HEALTH

| | |
|---|----|
| Total fertility rate | 4 |
| Unmet need for family planning (%) | 17 |
| Adolescents who have begun childbearing (%) | 1 |
| Violence in pregnancy (%) | 3 |
| Female genital cutting (%) | 77 |



* Refers to zonal data




OYO STATE

Please see www.healthynewbornnetwork.org/page/nigeria-data for indicator definitions and data sources


BIRTHS AND DEATHS

| | |
|--|-----------|
| Population | 6,679,000 |
| Annual births | 235,000 |
| Birth registration (%) | 49 |
| Neonatal mortality rate per 1000 live births | 39 |
| Annual number of neonatal deaths | 9,000 |
| Under-five mortality rate per 1000 live births | 90 |
| Annual number of under-five deaths | 20,000 |
| Maternity mortality ratio per 100,000 live births (national) | 576 |
| Annual number of maternal deaths | 1000 |


NEWBORN AND CHILD SURVIVAL TRENDS




CAUSES OF UNDER-FIVE AND NEONATAL DEATHS*



ANTENATAL CARE




CARE DURING CHILDBIRTH




REPRODUCTIVE AND MATERNAL HEALTH

| | |
|---|----|
| Total fertility rate | 5 |
| Unmet need for family planning (%) | 13 |
| Adolescents who have begun childbearing (%) | 12 |
| Violence in pregnancy (%) | 4 |
| Female genital cutting (%) | 66 |


MISSED OPPORTUNITIES IN KEY MATERNAL, NEWBORN AND CHILD HEALTH PACKAGES




COVERAGE ALONG THE CONTINUUM OF CARE




CARE FOR HOME BIRTHS




NUTRITIONAL STATUS




INFANT FEEDING PRACTICES




VACCINATIONS




DIARRHOEA TREATMENT



PNEUMONIA TREATMENT



MALARIA PREVENTION AND TREATMENT







* Refers to zonal data



PLATEAU STATE










Please see www.healthynewbornnetwork.org/page/nigeria-data for indicator definitions and data sources

| BIRTHS AND DEATHS | |
|--|-----------|
| Population | 3,851,000 |
| Annual births | 157,000 |
| Birth registration (%) | 20 |
| Neonatal mortality rate per 1000 live births | 35 |
| Annual number of neonatal deaths | 5,000 |
| Under-five mortality rate per 1000 live births | 100 |
| Annual number of under-five deaths | 15,000 |
| Maternity mortality ratio per 100,000 live births (national) | 576 |
| Annual number of maternal deaths | 900 |



REPRODUCTIVE AND MATERNAL HEALTH

| | |
|---|----|
| Total fertility rate | 5 |
| Unmet need for family planning (%) | 23 |
| Adolescents who have begun childbearing (%) | 13 |
| Violence in pregnancy (%) | 7 |
| Female genital cutting (%) | 2 |







* Refers to zonal data



RIVERS STATE










Please see www.healthynewbornnetwork.org/page/nigeria-data for indicator definitions and data sources

| BIRTHS AND DEATHS | |
|--|-----------|
| Population | 6,330,000 |
| Annual births | 208,000 |
| Birth registration (%) | 41 |
| Neonatal mortality rate per 1000 live births | 32 |
| Annual number of neonatal deaths | 7,000 |
| Under-five mortality rate per 1000 live births | 91 |
| Annual number of under-five deaths | 18,000 |
| Maternity mortality ratio per 100,000 live births (national) | 576 |
| Annual number of maternal deaths | 1000 |



REPRODUCTIVE AND MATERNAL HEALTH

| | |
|---|----|
| Total fertility rate | 4 |
| Unmet need for family planning (%) | 18 |
| Adolescents who have begun childbearing (%) | 14 |
| Violence in pregnancy (%) | 11 |
| Female genital cutting (%) | 15 |







* Refers to zonal data



SOKOTO STATE










Please see www.healthynewbornnetwork.org/page/nigeria-data for indicator definitions and data sources

| BIRTHS AND DEATHS | |
|--|-----------|
| Population | 4,452,000 |
| Annual births | 229,000 |
| Birth registration (%) | 11 |
| Neonatal mortality rate per 1000 live births | 44 |
| Annual number of neonatal deaths | 10,000 |
| Under-five mortality rate per 1000 live births | 185 |
| Annual number of under-five deaths | 40,000 |
| Maternity mortality ratio per 100,000 live births (national) | 576 |
| Annual number of maternal deaths | 1000 |



REPRODUCTIVE AND MATERNAL HEALTH

| | |
|---|----|
| Total fertility rate | 7 |
| Unmet need for family planning (%) | 8 |
| Adolescents who have begun childbearing (%) | 36 |
| Violence in pregnancy (%) | 0 |
| Female genital cutting (%) | 3 |





* Refers to zonal data




TARABA STATE

Please see www.healthynewbornnetwork.org/page/nigeria-data for indicator definitions and data sources


| BIRTHS AND DEATHS | |
|--|-----------|
| Population | 2,766,000 |
| Annual births | 134,000 |
| Birth registration (%) | 21 |
| Neonatal mortality rate per 1000 live births | 43 |
| Annual number of neonatal deaths | 6,000 |
| Under-five mortality rate per 1000 live births | 160 |
| Annual number of under-five deaths | 20,000 |
| Maternity mortality ratio per 100,000 live births (national) | 576 |
| Annual number of maternal deaths | 800 |



ANTENATAL CARE




CARE DURING CHILDBIRTH




REPRODUCTIVE AND MATERNAL HEALTH

| | |
|---|----|
| Total fertility rate | 6 |
| Unmet need for family planning (%) | 20 |
| Adolescents who have begun childbearing (%) | 26 |
| Violence in pregnancy (%) | 12 |
| Female genital cutting (%) | 3 |


MISSED OPPORTUNITIES IN KEY MATERNAL, NEWBORN AND CHILD HEALTH PACKAGES




COVERAGE ALONG THE CONTINUUM OF CARE




CARE FOR HOME BIRTHS




NUTRITIONAL STATUS




INFANT FEEDING PRACTICES




VACCINATIONS




DIARRHOEA TREATMENT



PNEUMONIA TREATMENT



MALARIA PREVENTION AND TREATMENT







* Refers to zonal data



YOBE STATE










Please see www.healthynewbornnetwork.org/page/nigeria-data for indicator definitions and data sources

| BIRTHS AND DEATHS | |
|--|-----------|
| Population | 2,778,000 |
| Annual births | 135,000 |
| Birth registration (%) | 8 |
| Neonatal mortality rate per 1000 live births | 43 |
| Annual number of neonatal deaths | 6,000 |
| Under-five mortality rate per 1000 live births | 160 |
| Annual number of under-five deaths | 21,000 |
| Maternity mortality ratio per 100,000 live births (national) | 576 |
| Annual number of maternal deaths | 1,000 |



REPRODUCTIVE AND MATERNAL HEALTH

| | |
|---|----|
| Total fertility rate | 7 |
| Unmet need for family planning (%) | 14 |
| Adolescents who have begun childbearing (%) | 25 |
| Violence in pregnancy (%) | 1 |
| Female genital cutting (%) | 3 |







* Refers to zonal data



ZAMFARA STATE










Please see www.healthynewbornnetwork.org/page/nigeria-data for indicator definitions and data sources

| BIRTHS AND DEATHS | |
|--|-----------|
| Population | 3,892,000 |
| Annual births | 200,000 |
| Birth registration (%) | 3 |
| Neonatal mortality rate per 1000 live births | 44 |
| Annual number of neonatal deaths | 9,000 |
| Under-five mortality rate per 1000 live births | 185 |
| Annual number of under-five deaths | 35,000 |
| Maternity mortality ratio per 100,000 live births (national) | 576 |
| Annual number of maternal deaths | 1,000 |



REPRODUCTIVE AND MATERNAL HEALTH

| | |
|---|----|
| Total fertility rate | 8 |
| Unmet need for family planning (%) | 13 |
| Adolescents who have begun childbearing (%) | 43 |
| Violence in pregnancy (%) | 1 |
| Female genital cutting (%) | 2 |



* Refers to zonal data