

# 14 SAVE LIVES: INVEST IN MIDWIVES

## KNOWLEDGE SUMMARY: WOMEN'S AND CHILDREN'S HEALTH



Each year, 350,000 women die from complications in pregnancy and childbirth,<sup>1</sup> over three million newborns die under one month,<sup>2</sup> and 2.6 million babies are stillborn.<sup>3</sup> Many of these deaths could be prevented by a midwife or other skilled birth attendant.<sup>4</sup> However, 52 million births worldwide occur without one in attendance,<sup>5</sup> while in Asia and Sub-Saharan Africa less than 50% of births are attended by someone with the right skills.<sup>6</sup>

Midwives save lives and provide quality care during pregnancy and childbirth. In recognition, global, regional and national initiatives increasingly focus on the training and retention of quality midwives and other skilled birth attendants.

# What is the problem?

## There are still too few people with midwifery skills


The worldwide shortage of skilled birth attendants has been widely recognized for several years, but the problem persists. In 2010, the Global Strategy for Women's and Children's Health noted that an additional 3.5 million health workers were required to improve the health of women and children substantially in the 49 lowest-income countries.<sup>7</sup> In 2006, the World Health Report estimated the global shortage at 4.3 million.<sup>8</sup> In 2005, WHO said an additional 334,000 midwives would be needed over 10 years to achieve 72% coverage of skilled birth attendance in 75 countries.<sup>9</sup> WHO recommends one skilled birth attendant for every 175 pregnant women, but countries like Rwanda have only 1 midwife per 8,600 births.<sup>10, 4</sup> The global shortage of midwives is compounded by inequitable and inefficient distribution. Although most people in developing countries live in rural areas, most of their health workers are located in urban areas.<sup>11</sup>

## Recruitment, training and retention are inadequate

Shortages in skilled birth attendants are triggered by a number of factors, including lack of institutional and practical training and varying standards in midwifery education. Poor absorption into the workforce and ineffective regulation compromise service quality.

Figure 1


### Countries with critical shortages of skilled birth attendants



Source: World Health Statistics 2010 (estimates for 2000-2008)

Figure 2

### Rural / urban breakdown of midwives, nurses and physicians in 23 countries



Source: WHO statistics May 2011


Finally, poor working conditions, remuneration, support and supervision, and lack of career path, make it difficult to retain midwives, especially in rural areas.<sup>12</sup>

## Weak health systems hamper midwives

The MNCH Consensus notes that skilled and properly equipped birth attendants save lives. However, midwives often have to work without adequate equipment and medicines in inappropriate facilities, without the required professional support. Additionally, many countries do not have functional health information systems and/or lack health data to support effective workforce planning.

Figure 3

### Progress in coverage of skilled birth attendance in 34 Countdown countries



Source: Countdown to 2015 decade report (2000-2010)

# What works?

## Improving numbers, distribution and quality of midwives

Professional skilled care at birth can greatly reduce maternal and neonatal mortality. Countries that have scaled up the quantity and quality of their midwives have seen drastic improvements in maternal and neonatal health. For example, the governments of Tunisia and Thailand invested in the development of high-quality midwives, which was key to the reduction of maternal mortality in those countries.<sup>13</sup> While increasing numbers and improving distribution is important, improving quality of services is critical. Studies in Bangladesh and the Dominican Republic demonstrate that improving quality of care encourages more women to use services, and increases the ability of health providers to save lives.<sup>14, 15</sup>

## Targeting proven life-saving interventions

Policies that promote a core set of life-saving interventions by midwives have been proven to save lives.<sup>13</sup> However, while a majority of national policies identify the need to prioritize health workforce interventions to improve MNCH, many do not identify specific actions required to scale up the workforce.<sup>16</sup>

## Improving competency-based education

Midwifery training programs vary widely in content and quality within and across countries. Many fail to address the midwifery competencies outlined by the International Confederation of Midwives. Some programs have tried to produce more skilled birth attendants by making training courses shorter, simplifying content and reducing access to supervisory staff. However, this reduces the quality of graduating staff. Evidence shows that the opposite is needed to develop midwifery competencies, namely: more competency-based teaching, more training in clinical settings and better access to qualified staff.<sup>17</sup>

## Strengthening health systems to support midwives

Midwives' capacity to provide quality services depends on the health system and its supporting mechanisms for midwifery practice.<sup>18</sup> Midwives are best equipped to provide good-quality care when they practise in facilities with the required equipment and drugs, operate in well-organized teams and are supported by functional referral systems.<sup>19</sup> This was seen in Tunisia, where studies found that service provision and uptake increased after technical facilities, support and supervision were improved.<sup>20</sup> It is also supported by the reduction of maternal mortality in Thailand (Figure 4).

## Regulating health professionals for better quality services

Licensing, registration and other standard-setting measures help governments to ensure quality of care. Reductions in maternal mortality in Thailand, Malaysia and Sri Lanka have been attributed in part to "long-term investment in midwifery


training and referral hospitals; free care and a supportive system with regulation, control, and supervision of the medical and midwifery profession".<sup>6</sup>

## Strengthening professional associations

Professional associations are best placed to promote the national and regional policies needed to support the training and deployment of qualified midwives.<sup>21</sup> It is therefore important to strengthen the capacity of midwifery associations, to enable better integration of midwifery considerations in policies.

Figure 4

### Thailand's success story



Source: PMNCH, WRA. The White Ribbon Alliance's Atlas of Birth: Maternal Deaths the Greatest Inequity in the 21st Century. 2010

## Box 1 – The case of Malaysia

Between 1949 and 1995, skilled birth attendance in Malaysia increased from 30% to 90%.

- 1945 to 1956: legislation was passed for the certification of midwives. In parallel, a large network of urban maternal and child health clinics was created, ensuring jobs for midwives.
- 1957 to 1975: rural health services were expanded rapidly: 1,280 new midwifery clinics; a network of 256 health sub-centers; and 65 health centers. Delivery at clinics was encouraged, but midwives also attended rural home births. Antenatal care, home deliveries and 10 days of postnatal care were provided free by government midwives.
- 1976 to 1989: coverage by skilled attendants increased to 90%.

By 1988, all rural midwifery practices were standardized, recorded and distributed in a manual of clinical procedures and protocols.


Source: Farooqi S. Models of Skilled Attendance in Rural and Resource-Poor Settings: A Review of the Literature. Mujeres Enlazadas/Aliaidas, 2009.



## Global initiatives on midwives

Many global efforts have recognized a need for increased investment in midwifery and there has been a surge in commitment. Currently, 28 partners are compiling the State of the World's Midwifery. This report will examine the numbers and distribution of health

professionals involved in midwifery. It will also discuss the roles of education, regulation, professional associations, policies and external aid.



### Box 2 – Global commitments

The 2010 Global Strategy for Women's and Children's Health provided fresh impetus for midwifery. As a result of the Global Strategy:

- **Afghanistan** committed to increase the number of midwives from 2,400 to 4,556.
- **Bangladesh** committed to train an additional 3,000 midwives.
- **Ethiopia** committed to increase the number of midwives from 2,050 to 8,635.
- **Rwanda** committed to train five times more midwives (increasing the ratio from 1/100,000 to 1/20,000).

Source: UNFPA, ICM. *A Global Call to Action: Strengthening Midwifery to Save Lives. And promote health of women and Newborns. 2010.*

### Box 3 – Global call to action

In June 2010, nine partners called on governments to strengthen:

1. **Education and training** — providing essential competencies in basic midwifery practice.
2. **Legislation and regulation** — ensuring appropriate standards of practice and full deployment of competencies.
3. **Recruitment, retention and deployment** — implementing national, costed plans for the provision of midwives.
4. **Professional midwifery associations** — supporting national and regional policy efforts.

Source: United Nations: *Every Woman, Every Child: Summary of commitments for women's and children's health. 2010.*

## Conclusion

Many maternal and child deaths could be prevented by an increase in skilled birth attendance. In addition, health personnel with midwifery skills are trained to provide a continuum of high-quality sexual and reproductive health services to mothers, helping to

prevent unwanted pregnancies. Increasing investment in midwifery education, deployment and retention, regulation and oversight should be a core component of national strategies to improve women's and children's health.

## References and acknowledgements

- 1 UNICEF, UNFPA, WHO, World Bank. *Trends in Maternal Mortality: 1990 to 2008*. Geneva, 2010.
- 2 Black RE et al. for the Child Health Epidemiology Reference Group of WHO and UNICEF. *Global, regional, and national causes of child mortality in 2008: a systematic analysis*. *Lancet*, vol 375 (9730), pp 1969 - 1987, 5 June 2010.
- 3 WHO. *Policy Brief: National, regional, and worldwide estimates of stillbirth rates in 2009 with trends since 1995*. WHO/RHR/11.03. 2011. Geneva.
- 4 Save the Children. *Missing midwives*. London, 2011.
- 5 UNICEF. *State of the World's Children 2009*. New York, 2009.
- 6 Ronsmans C, Graham WJ. *Maternal mortality: who, when, where, and why*. *Lancet*, vol 368 (9542), pp 1189-120, 30 September 2006.
- 7 United Nations Secretary-General Ban Ki-moon. *Global Strategy for Women's and Children's Health*. New York, 2010.
- 8 WHO. *World Health Report 2006: Working Together for Health*. Geneva, 2006.
- 9 WHO. *World Health Report 2005: Make Every Mother and Child Count*. Geneva, 2005.
- 10 UNICEF. *State of the World's Children 2009*. New York, 2009.
- 11 WHO, UNICEF. *Countdown to 2015 Decade Report (2000-2010): Taking Stock of maternal, newborn and child survival*. Geneva, 2010.
- 12 Koblinsky M et al. on behalf of The Lancet Maternal Survival Series steering group. *Going to scale with professional skilled care*. *Lancet*, vol 368 (9544), pp 1377-1386, 14 October 2006.
- 13 UNFPA. *Towards MDG 5: Scaling up the Capacity of Midwives to Reduce Maternal Mortality and Morbidity. Workshop report*. New York, 21-23 March 2006.
- 14 Miller S et al. *Quality of care in institutionalized deliveries: the paradox of the Dominican Republic*. *International Journal of Gynecology and Obstetrics*, vol 82 (1), pp 89-103, July 2003.
- 15 Afsana K, and Rashid SF. *The Challenges of Meeting Rural Bangladeshi Women's Needs in Delivery Care*. *Reproductive Health Matters*, vol 9 (18), pp 79-89, November 2001.
- 16 Bhutta ZA, Lassi ZS, Mansoor N. *Literature Review on Human Resources for Health Interventions to Improve Maternal Health Outcomes: Evidence from Developing Countries*. Karachi, Aga Khan University, 2010.
- 17 Fullerton JT et al. *Quality considerations in midwifery pre-service education: Exemplars from Africa*. *Midwifery*, 3 December 2010.
- 18 Hussein J et al. *Midwifery practice in Ghana and Malawi: influences of the health system*. In Reid L (ed) *Midwifery: Freedom to Practice? An International Exploration of Midwifery Practice*. Oxford, Churchill Livingstone (Elsevier), 2007.
- 19 Campbell OMR, Graham WJ on behalf of The Lancet Maternal Survival Series steering group. *Strategies for reducing maternal mortality: getting on with what works*. *Lancet*, vol 368, pp 1284-99, 2006.
- 20 Khalfaoui M, Njah M, Zoghliani H. *Conditions of midwifery practice in Tunisia rural areas and maternal transfer*. *J Gynecol Obstet Biol Reprod (Paris)*, vol 29 (6), pp 614-620, October 2000.
- 21 Chamberlain J et al. *The role of professional associations in reducing maternal mortality worldwide*. *International Journal of Gynaecology and Obstetrics*, vol 83 (1), pp 94-102, October 2003.

### Acknowledgements

Kadi Toure (writer), Roberta Annovi (design), and contributions to the development and review of this knowledge summary from (in alphabetical order): Henrik Axelson; Andres de Francisco; Shyama Kuruvilla and Carole Presern from PMNCH; Vincent Fauveau from UNFPA; Jim Campbell from Integrate; Frances Ganges from WRA and Anita Wiseman from ICM.

Available on-line at <http://portal.pmnch.org/>