


CCI Country Score: 44%

Demographics




Total Population (000)	27,584	2016
Total under 5 population (000)	4,075	2016
Total adolescent (10-19) population (000)	6,376	2016
Secondary completion rate (upper, females)	23%	2016
Total Births (000)	872	2016
Total fertility rate (births per woman)	4	2016
Adolescent (15-19 years) birth rate (births per 1000 girls)	67	2012


Birth registration	31%	2013
Total maternal deaths	3,300	2015
Lifetime risk of maternal deaths (1 in N)	60	2015
Stillbirth rate (per 1000 total births)	29	2015
Neonatal deaths, as % of all <5 deaths	53%	2015
Total under 5 deaths (000)	48	2016
Adolescent (10-19) mortality rate (per 100,000), by sex	140 girls 152 boys	2015

Continuum of Care Coverage

Percentage of those in need receiving coverage of key interventions across the continuum of care




Equity




Maternal & Newborn Health


Pregnancy and Delivery Care



Adolescent Reproductive and Maternal Health



Additional Maternal and Neonatal Health Interventions




Women's & Children's Nutrition


Essential Nutrition Indicators

Prevalence of anemia in women aged 15-49	70%	2016
Women of reproductive age, short stature	7%	2013
Women (20+) with: BMI <18.5 kg/m2 (thinness)	8%	2016
BMI 25-30 kg/m2 (overweight)	32%	2016
BMI > 30 kg/m2 (obese)	23%	2016
Iron/folic acid supplementation during pregnancy	6%	2013
Low birth weight prevalence	32%	2010
Vitamin A supplementation, full coverage	8%	2015
Minimum dietary diversity	27%	2013

Child Nutritional Status



Breastfeeding Practices




More information about indicator sources, definitions, and other details can be found in the Countdown report annexes: [countdown2030.org/annexes](http://countdown2030.org/annexes)

Demographics


Maternal Mortality Ratio

Deaths per 100,000 live births




Neonatal & Under-five Mortality Rate

Deaths per 1,000 live births



Causes of Maternal Death - 2014


Regional estimates for Western Asia



Source: WHO 2014

Causes of Death Under-Five - 2015

Globally nearly half of child deaths are attributable to undernutrition



Children ages 1-59 months: 53% of deaths occur in the neonatal period  
Newborns ages 0-27 days


Source: WHO MCEE 2015

Child Health

Immunization

Percent of children immunized:


- with 3 doses of Hib (71%) 2016
- against measles (70%) 2016
- with 3 doses of DTP (71%) 2016
- with 3 doses of pneumococcal (71%) 2016
- against rotavirus (59%) 2016



Source: WHO/UNICEF 2016 revision

Pneumonia Treatment

Percent of children under 5 years with symptoms of pneumonia taken to appropriate health provider




More years of data may be available on the dashboard.

Diarrhoeal Disease Treatment

Percent of children under 5 years with diarrhoea:


- Treated with ORS
- Treated with ORS + zinc



More years of data may be available on the dashboard.

Malaria Prevention & Treatment

Malaria prevention in children under-five - sleeping under ITNs




More years of data may be available on the dashboard.

Malaria diagnostics in children under-five: 16% 2013

Population sleeping under ITN or sleeping in a house sprayed by IRS

Environmental

Water, Sanitation & Hygiene



Source: WHO/UNICEF JMP 2017.

Policies, Systems & Financing

Legislative Policies

Family planning for adolescents without spousal or parental consent: No

Legal status of abortion

<input checked="" type="checkbox"/> to save a woman's life	<input checked="" type="checkbox"/> to preserve physical health	<input checked="" type="checkbox"/> to preserve mental health	<input checked="" type="checkbox"/> for economic & social reason	<input checked="" type="checkbox"/> on request	<input checked="" type="checkbox"/> in case of rape or incest	<input checked="" type="checkbox"/> in case of foetal impairment
--	---	---	--	--	---	--

Maternity protection (Convention 183): No

International code of marketing of breastmilk substitutes: Yes

Legislation on food fortification: Wheat (Mandatory), Maize (No Fortification), Rice (No Fortification)

Governance

Costed national implementation plan(s) for maternal, newborn and child health available: Yes (Maternal), Yes (Newborn), Yes (Child)

<input checked="" type="checkbox"/> A national policy to notify all maternal deaths	<input checked="" type="checkbox"/> A national policy to review all maternal deaths	<input checked="" type="checkbox"/> A national maternal death review committee	<input checked="" type="checkbox"/> A subnational maternal death review committee	<input checked="" type="checkbox"/> Both national and subnational maternal death review committees	<input checked="" type="checkbox"/> At least biannual meetings of the national maternal death review committee
---	---	--	---	--	--

Civil society involvement in review of national maternal, newborn and child health programs: No Data

Financing

Total expenditure on health, per capita	80	2014
Government expenditure on health, per capita	18	2014
Out of pocket expenditure as % of total expenditure on health	76%	2014
General government expenditure on health as % of total government expenditure	4%	2014
ODA to RMNCH (US\$)	Total: \$145 M	2015
	Per capita: \$5	2015

Service Delivery

Life Saving Commodities in Essential Medicine List:

Reproductive Health: 0	Maternal Health: 2	Newborn Health: 2	Child Health: 3
<ul style="list-style-type: none"> <li>1. Female Condom</li> <li>2. Contraceptive Implants</li> <li>3. Emergency Contraception</li> </ul>	<ul style="list-style-type: none"> <li>1. Oxytocin</li> <li>2. Misoprostol</li> <li>3. Magnesium sulfate</li> </ul>	<ul style="list-style-type: none"> <li>1. Injectable Antibiotics</li> <li>2. Antenatal Corticosteroids</li> <li>3. Chlorhexidine</li> <li>4. Resuscitation equipment: Self-inflating bag</li> </ul>	<ul style="list-style-type: none"> <li>1. Amoxicillin</li> <li>2. Oral Rehydration Salts</li> <li>3. Zinc</li> </ul>

National availability of functional Emergency Obstetric Care (% of recommended minimum): -

Density of skilled health professionals (per 10,000 population): 10.7 2014

<input checked="" type="checkbox"/> Parental antibiotics	<input checked="" type="checkbox"/> Parental oxytocin	<input checked="" type="checkbox"/> Parental anti-coagulants	<input checked="" type="checkbox"/> Manual removal of placenta	<input checked="" type="checkbox"/> Removal of retained products of conception	<input checked="" type="checkbox"/> Assisted vaginal delivery	<input checked="" type="checkbox"/> Newborn resuscitation
--	---	--	--	--	---	---